

### **DURA PAINTS**

Dura Paints has, since its establishment in 1986. grown into a leading South African manufacturer and distributor of quality, specialist coatings and preparation products.

Our offering covers a comprehensive range of industrial coatings, decorative coatings, preparation products and fieldmarking machines and liquids, all supported by leading edge technology.

### **Quality Statement**

At Dura Paints, quality manifests itself in management, manufacturing, personnel and products. We are committed to world-class quality, superior customer support and outstanding value.

We achieve this through innovation, customer satisfaction and operating under an ISO9001:2008 Quality Management System. We are committed to excellence and continuous improvement through processes, the workplace and people.

We have been proudly supplying the South African market for over 29 years – a clear testimony to our quality products and service. We stand by our products and believe that you will be more than satisfied.

All Prolong products are lead free.

### **Our Brand Portfolio**

WEDGEWOOD

Decorative coatings for the discerning individual.



Specialised industrial coatings.



Field marking machines and liquids.



Quality preparation products.



Cementitious decorative coatings.

#### Crackband

CRACKBAND

A fine membrane which is used in conjunction with paint to repair and hide hairline cracks in plastered walls. It is available in a number of widths. Size: 100mm x 20m, 300mm x 20m, 500mm x 20m (rolls)



Powafill

#### Profill Crack Doctor

**Crack Repair Products** 

A bonded ready mixed multipurpose interior and exterior filler. • It is used for filling and repairing holes, cracks and blemishes on floors, walls, ceilings, roofs and tiles.

• It is suitable for filling and repairing most materials such as brick, plaster, wood and fibre board. Colours: Imbuia, Meranti, White, Oregon, Pine, Sapele, awhite Size: 310ml (cartridge)



## Crackfill

A dry powder crack filler that when mixed with water forms a smooth paste. • It is specially formulated for interior and exterior use and is ideal for general purpose filling work on plaster, gypsum, soft board, fibre cement board and similar surfaces. Colour: White Size: 500g, 2Kg, 10Kg



#### Profill

A multi-purpose ready mixed bonded interior and exterior filler used to repair holes, cracks, blemishes on floors, walls, ceilings and roofs. • It dries to a tough semi flexible finish and sands to a smooth finish. • It is UV stable, weather resistant, water soluble and solvent free. • It is suitable for filling and repairing most materials brick, plaster, wood and fibre board and can be trowelled like plaster over large areas. Colour: White Size: 250ml, 500ml, 1L, 2L, 5L, 20L

A ready mixed, reinforced crack filler with additional strength for repairing small structural cracks, moving gaps and deep holes on all interior and exterior floor and wall surfaces. • It dries to a tough semi flexible finish that is easily sanded. It has excellent adhesion properties and is easy to use, UV stable, weather resistant, water soluble and solvent free. Colour: White Size: 500ml, 1L, 5L



### Supafill

A ready mixed smoothing and skimming compound for interior and exterior walls. • It dries into a smooth, flexible water resistant and easily sanded surface. · Ideal for preparing rough surfaces such as damaged plaster, drywall joints and ceiling joints before painting. Colour: White Size: 500ml, 1L, 5L, 20L



## **Surface Preparation Products**



#### ProRemove

A solvent based grease, oil, bitumen and wax remover used on floors, roofs and walls, • Ideal for removing all bitumen based adhesives, bitumen waterproofing, tar. oil spills and spots, wax floor polish and wet paint spots on non-absorbent surfaces. • It is suitable for vinvl floor tiles, concrete, clay, slate, glazed and galvanized metal

water rinsible brush and roller cleaner. • It is ideal for

leaning and removing fresh and older, water and oil

pased paints from brushes and rollers. • It will extend

the life of your expensive brushes and rollers, with an

asy to use water rinsible cleaning action. Size: 1L

# ProStrip

A high powered paint stripper. • It removes enamels, varnishes, lacquers & polishes. • It's a thick gel like paste and is suitable for horizontal and vertical stripping



#### ProSoap Powder

ProDegrease

for easy rinsing with water. Size: 1L

An all-purpose degreasing agent for removing oil,

grease & residue from surfaces before painting. • It

is suitable for galvanized iron, mild steel and concr

floors before painting. • It emulsifies grease to allow

ProClean

A concentrated acid based cleaner, suitable for cleaning

cement, mortar, oil, fungus, efflorescence and stains

from concrete, clay and slate surfaces, Size: 1L, 5L

A gentle yet powerful cleaner ideal for general purpose cleaning. • It's recommended for the removal of grease and grime from dirty walls before painting. It is suitable for cleaning basins, floors, sinks, drains. toilets and removing ink and crayon marks from painted surfaces. • It's not abrasive and will not scratch the surface, Size: 500g



# ProSoap Liquid

A gentle vet powerful cleaner ideal for general purpose cleaning. • It's recommended for the removal of grease and grime from dirty walls before painting. • It's suitable for cleaning basins, floors, sinks, drains, toilets and removing ink and crayon marks from painted surfaces. It's not abrasive and will not scratch the surface. Size: 1L




bond sand, cement plaster and gypsum plaster to smooth surfaces. • It is intended for use as a key coat to promote adhesion between concrete substrates and overlaid plaster based on cement, gypsum plaster and self levelling underlay's. • It is especially suitable for use under alkali condition. • The product exhibits very good water resistance and good stability when used with cement based products Size: 1L, 5L, 25L



### Grease Devil

A super concentrated all purpose power cleaner. It may be diluted up to 100 times with cold water for general purpose cleaning or used concentrated for stubborn grease or dirt. Use it in the home, office or factory to lift and remove grease grime, oil, grit, ink, coffee, wet paint, rubber marks, mud and dirt from ceramics, clay tiles, vinyl floors, corrugated iron, metal. copper, chrome, mag wheels, baths, grills, plastic, concrete, timber, enamel, fabric, glass, etc. it replaces the need to use most general purpose cleaners that have toxic chemicals as active ingredients. • It is a general purpose cleaner, tile cleaner, engine cleaner, dustbin degreaser, floor cleaner, window cleaner, white board cleaner, work top spray and wipe and braai degreaser. • It is easy to use, non toxic, biodegradable, ammonia free, solvent free and environmentally friendly. Size: 750ml, 11, 51, 251



MARKING

# **Road Marking Paint**

This product is suitable for marking lines on concrete and bituminous roads, pathways, parking areas and kerbs. • The Road Marking Paint is waterbase and lead free. • Ensure that previously painted surfaces are compatible with the new coating. • Ensure surfaces to be painted are dry, firm, free from dirt, grease, fungus, loose particles and rising or penetrating damp. Colours: White, yellow, red and black Size: 5L and 20L plastic containers

# Waterproofing



### Roof Proof

An easy to use acrylic general purpose waterproof compound used in conjunction with a woven membrane for waterproofing tiled, metal and timber pitched roofs. • It is a quality product and is ideal for waterproofing flashings, roof ridges, parapet walls, roof bolts, metal roof overlaps and similar pitched roof details. It has excellent weatherproof properties ensuring a long lasting finish. • It is available in kit with a 200mm x 10m membrane. Colours: Black, Grey, Green, Terracotta, Red and White Size: 1L kit, 5L kit



Acry Proof

Wall Proof

(Original and Fibre)

withstand the ponding of water.

See Prolong Acry Proof for application details, Size: 100mm x 10m, 250mm x 10m, 500mm x 10m, 1000mm x 20m (rolls)



pitched roofs, parapet walls and fish ponds. It can



Bitu Proof Fibre

An acrylic bitumastic waterproofing compound that

is ideal for waterproofing and sealing concrete dams

reservoirs, fish ponds, flower pots, roofs, foundation

walls, underground structures and similar waterproofing

details. It should not be used in areas exposed to the

sun . It is a water based non-toxic and cost effective

Use within 3 months. Colour: Black Size: 1L, 5L, 20L

method of waterproofing and sealing surfaces.

# **Roof Screw**

Membrane Is used to seal roof screws. . It is very easy to use. Use it in conjuction with Acry Proof or Roof Proof. Size: Pack of 50 patches



A penetrating waterproofing agent for sealing exterior face brick walls, face brick facades, clay surfaces, cement bricks, concrete structures, marble and granite cladding and similar exterior wall finishes. It waterproofs the wall without changing the colour or appearance of the original surface. • It penetrates and ensures a weather resistant, ultra violet and wear resistant finish. • It should be applied by saturating the substrate with a low pressure spray applicator or large brush. • It is important that if a second coat is required that it is applied to a wet first coat. . Do not allow the first coat to dry before applying the second coat.



### Leak Proof

A specially formulated two part cementitous waterproofing compound that bonds with any concrete structure to form a permanent waterproofing barrier that prevents damp, moisture, efflorescence and leaks. It may be applied to all exterior and interior concrete surfaces that require sealing, Ideal waterproofing applications include concrete beams, columns, retaining walls, silos, bridges, reservoirs, water towers, ponds, roof slabs, basements, tunnels and sub-terrainean features. Colour: Grey Size: 1L, 5L, 20L



# Adhesives

the area and appear else where.

Colour: Clear Size: 1L, 5L

Damp Proof

A clear sealing agent for protecting interior walls from

rising damp and moisture. It is specially formulated

to seal plaster, masonry and concrete surfaces while

holding back the penetrating water. • It creates a tough

water barrier on the inside of the wall and ensures a dry

the tiny pores in the surface to form a watertight coating

stable surface for the new coat of paint. It penetrates

that stops moisture and is used to seal the wall before

over coating with quality paint. NOTE: The source of the

damp must be repaired and the affected area aloud to

dry before applying Damp Proof. • If the original cause

of the damp is not repared the damp may move around

#### Wood-Bond

adhesive. • It may be used for fixing or gluing wood, cardboard, paper, leather, felt, textiles and similar materials. • It dries into a tough durable white weld. which can be machined, planed and cut. . It is very easy to use and is suitable for all wood work, art work and general repair work. Colour: White ize: 100ml, 200ml

A white general purpose water based cold glue



# Multi-Bond

It is a high strength interior and exterior adhesive that reduces the need for nails and screws in DIY and onstruction repair work. • It's a water based, solvent free, multi-purpose adhesive used to mount partitioning imber boards, ceilings, cornices, skirting boards, timber decks, decorative mouldings, bathroom fixtures and meta objects to timber and concrete. • It adheres to plywood, polystyrene, polyurethane, foam board, plaster board and umerous other construction materials. . It's ideal for all new building, home decor, maintenance and wood work It's formulated to resist sagging and slumping and forms an effective long lasting seal that bridges gaps betweer materials. • Not suitable for fixing mirrors or for use on

our: Clear (when dry) Size: 310ml (cartridge)



### **Tile Care Products**



ALER STR

#### Tile Care Cleaner & Remover

s a power cleaner to remove mortar cement and stains. • Used with Tile Care Degreaser & Neutraliser to prepare new and old floor surfaces before sealing. • Use on terracotta, slate, face brick, paving & stone cladding.



Size: 750ml, 1L, 5L



rejuvenates and cleans wall and floor grout. • Tile Care Tile & Gro Cleaner activates with stubborn dirt, stains, mildew and soap residue to ensure a fast effective method of cleaning. • It is ideal for rejuvenating old grout around baths, shower recesses, kitchens, bathrooms and similar areas. • It may also be used on porcelain, glazed terracotta tiles or as a cleaning agent for stubborn dirt. Use Tile Care Tile & Grout Cleaner in conjunction with Tile Care Degreaser & Neutraliser for effective tiled floor maintenance.



### ile Care Sealer Stripper

concentrated solvent based stripper for removing neral floor sealers, varnishes, waxes and polishes. e Sealer Stripper is suitable for use on Terracotta iles, Terrazzo tiles, Slate, Granite, Quartz, Concrete floors and similar surfaces. It is important to carry out a trial test on a small area to ensure no colour change, olemishing or corrosion. The coverage will depend on the type of surface, the type of sealer to be stripped and its



Self Shine A multi-purpose self shining gloss floor dressing for sealing terracotta, concrete, clay, terrazzo and vinyl floor finishes. • It dries into an easy to clean, gloss finish and is quickly applied with a sponge, mop or cloth. • It ensures a peautiful looking floor that is easily repaired and maintained. • It is best used for interior floors



penetrating sealer ideal for sealing most porous surfaces against water, dirt and grime. Suitable surfaces include face brick, plastered walls, clay bricks, porous and clay tiles, slate, slasto, concrete pavers and stone cladding. • It water proofs, beautifies and enhances the natural colour of the sealed surface. The more porous the surface, the better the abrasive resistance and non-slip characteristics of the sealer. • It allows for easy cleaning of the sealed surface with soap and water. Note: When applied to smooth surfaces which are exposed to traffic

and weather conditions, SupaSeal Aqua may require

maintenance. Best suited for rough porous surfaces.

An interior/exterior penetrating sealer for sealing low porosity Terracotta Tiles, Marble, Granite and Slate. It is a penetrating sealer for low porosity tiles protecting against oil, dirt, grit and grime. • It has excellent wear and weather resistance making it ideal for sealing walls and floors that are exposed to harsh weather and wear conditions. • It is suitable for smoot dense low porosity hard fired clay tiles such as Vitro Rouge, WW and NCI tiles. • It penetrates ensuring a non-slip, oil resistant, hard wearing finish. • It is easy to apply with very little maintenance required. Seal dries to an even matt finish. Size: 1L, 5L



#### SupaSeal

An interior/exterior penetrating sealer for sealing high porosity brick paving and tiles. • It is a semi-gloss penetrating sealer suitable for sealing porous surfaces including face brick, clay, terracotta tiles, porous slasto and stone cladding. • It waterproofs, beautifies and enhances the natural colour of the sealed surface. • The more porous the surface to be sealed the better the abrasive resistance and non-slip characteristics of the sealer. • When applied on smooth surfaces which are exposed to traffic and harsh weather conditions, it may require maintenance. Size: 1L, 5L

### Tile Care Degreaser & Neutraliser

A concentrated all purpose power cleaner ideal for cleaning, degreasing, neutralising and preparing tiled and paved surfaces before sealing. • It is used as a neutralising agent for surfaces that have been treated with Tile Care Cleaner & Remover. • It is truly multi-purpose and ideal as a degreaser for removing oil, grease, grit and grime from garage floors or tiled walls. • It is excellent for cleaning around stoves, grills kitchen and trash can areas.



## **Wood Care Products**



#### WoodSheen

A hard wearing interior polyurethane alkyd varnish with excellent abrasion resistant properties. • It has been formulated to minimise the formation of brush marks and allow for easy application. • It is ideal for sealing, protecting and beautifying quality interior timber furniture, table tops, door frames, beams, floors, skirting boards and similar timber surfaces. Colours: Clear, Mahogany, Meranti, Teak, Walnut

A superior exterior varnish with excellent durability and contains UV Absorbers. • It does not crack, peel or flake and is easily applied and maintained. • It is ideal for garden furniture, pergolas, fascia boards, garage doors, front doors, timber gates and any unpainted exterior timber surfaces. Colours: Clear, Mahogany, Meranti, Teak Walnut Size: 11 51



#### Timber-Fill

An all-purpose, ready mixed interior and exterior wood filler that dries into a tough flexible finish. • It is suitable for filling work on doors, window frames, skirting boards, particle board, garden furniture, interior furniture and just about all other wood filling applications. • It is easy to use, sands to a glass smooth finish, and may be left untreated, stained, varnished or painted. It has excellent adhesion to steel, metal, concrete and wood. • It's excellent adhesion makes it ideal for plugging loose screws with damaged threads. • Simply fill the hole with Timber-Fill and push screw into wet Timber-Fill and allow to dry.

. It is very fine and may be used either as a filling compound, stopping compound or grain skimming compound. Colours: Pine, Imbuia, Sapele, Meranti, Oregon and Supa White

# **Tiling Products**

#### Tile Bond Ready Mix Adhesive

A white ready mixed adhesive for bonding wall and floor tiles. It has excellent adhesion properties and may be used for bonding. tiles to concrete, plaster, timber boards, existing tiled surfaces and similar areas. • It is not suitable for constantly wet or damp areas such as showers, basins or vanity slabs. • Use it for damp areas. Colour: White Size: 500ml, 1L



# Tile Bond Tile Grout

A general purpose cement based wall and floor tile grout designed to point tile joints. • It is ideal for interior and exterior use and is available in two colours. • Grey is for general purpose floor tile grouting, traditionally used with terracotta and glazed floor tiles. • White is a waterproof wall or floor tile grouting generally used with glazed tiles in kitchens, living rooms, bathrooms and showers. Colours: Grey, Dove Grey and White Size: 500g, 2Kg, 5Kg



#### Tile Bond Ready Mix Grout

A ready mixed bonded wall and floor grout designed for



pointing tile joints. • It has excellent adhesion properties and is suitable for grouting all interior glazed tiles. Colour: White Size: 500ml



Tile Bond Tile Adhesive A general purpose cement based wall and floor tile adhesive.

ideal for interior and exterior use and is available in two colours. • Grey is used for interior and exterior wall and floor tiles. • White

is used for applications that require extra strength and waterproof

properties such as showers, pools, mosaics, glass bricks, stone and

applications of a similar nature. • It is suitable for thick and thin bed

bonding applications. Colours: Grey and White Size: 500g, 2Kg, 5Kg

A specially formulated additive that improves adhesion, flexibility and water resistance of all cement based tile adhesives, grouts, concrete screeds and mortar mixes. • It replaces a percentage of the water in the mixing process and is easy to use. • It is ideal for mixing into cement adhesives and grouts that will be used in constantly damp areas. • Best used with Tile Bond Cement Adhesive & Grouts white or grey. Size: 1L, 5L, 25L

Tile Bond Bonding Additive



### Maxi-Seal

A technologically advanced water based latex sealant that combines the durability, flexibility and adhesion properties of traditional silicone sealants while offering easy application, excellent paintability, low odour and water clean-up. Suitable for interior and exterior use. • It out performs most silicones and can withstand up to 50% joint movement without cracking, tearing or losing adhesion. • It is ideal for sealing and jointing around cornices, window and door frames, bath tubs, showers, basins, sinks, skylights and heating ducts. Colours: Black, Bronze Brown Clear, Grey and White Size: 310ml (cartridge)



#### Tub & Shower Seal

A specially formulated mildew resistant sealant which is used around baths, tubs, basins, showers, kitchen tops, sinks, toilets, porcelain and metal fixtures, fibreglass tiles, glass and similar areas. • It resists cracking, crumbling and shrinkage and is suitable for interior and exterior use. Colours: Clear and White Size: 310ml (cartridge)



#### Paint & Seal

A water based general purpose flexible sealant used for caulking, grouting, jointing and embedding in the building industry. • It is easy to apply and is compatible with most material used in construction e.g. brick, concrete. glass, metal, wood, etc. • It resists cracking and is suitable for interior and exterior use. It is ideal as a general purpose sealant suitable for most ioints. • It is a flexible crack filler used before painting and for sealing around window frames, doors, timber cupboards, boarding, cornices. ceilings, floorboards and roofs. • Can also be used to embed cornices. Colour: White Size: 310ml (cartridge)



#### Easy-Seal

A general purpose caulking compound, for sealing and bonding cornices, kitchen work tops, windows, door frames and mirrors. • It is a uniquely formulated all-in-one siliconized acrylic gap sealant for interior and exterior use. • It is ideal for sealing and jointing most building construction materials. It is UV stable, water resistant and solvent free. It may be over coated with most acrylic and enamel paints, Colours; Clear, Black, Bronze Brown, Grev and White Size: 310ml (cartridge)





#### Physical address.

5 Wakefield Road, Founders View South, Edenvale, 1610, South Africa

Tel. +27 11 452 5221 E-mail. orders@durapaints.co.za Website. www.durapaints.co.za





