

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9 Issue date: 2/16/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the supplier/undertaking

Product form	: Mixture
Trade name	: Dura - Tint - Blue, Green, Bright Red & Violet
Type of product	: Coatings
Product code	: TINTBLUE/GREEN/BRREDVIOLET
Product group	: Trade product

1.2. Other means of identification

No additional information available

1.1. GHS product identifier

1.3. Reco	mmended use o	of the chemica	I and restrictions	on use
-----------	---------------	----------------	--------------------	--------

Use of the substance/mixture

: Colourant used in light industrial coatings

1.4. Supplier's details

Manufacturer

Dura Paints (Pty) Ltd. 5 Wakefield Road; Founders View South. P.O. Box 303 1610 Edenvale; Johannesburg – South Africa T 011 452 5221 Contact: Lizel Rosemann

1.5. Emergency phone number

Emergency number

: 079 494 2731 / 011 452 5221

SECTION 2: Hazard identification

2.1. GHS classification of the substance/mixture and any national or regional information

Classification according to the United Nations GHS

Flammable liquids, Category 3	H226
Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity – Repeated exposure, Category 2	H373
Aspiration hazard, Category 1	H304
Full text of H-statements: see section 16	
Adverse physicochemical, human health and : Flammable liq	uid and v

Flammable liquid and vapour,May cause damage to organs through prolonged or repeated exposure,Harmful if inhaled,Causes skin irritation,May be fatal if swallowed and enters airways.

2.2. GHS label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)

environmental effects

Signal word (GHS-ZA) Hazardous ingredients Hazard statements (GHS ZA)



: H226 - Flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

	H332 - Harmful if inhaled
	H373 - May cause damage to organs (hearing organs) through prolonged or repeated
	exposure (Inhalation)
Precautionary statements (GHS ZA)	: P102 - Keep out of reach of children.
	P103 - Read carefully and follow all instructions.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P261 - Avoid breathing dust, mist, vapours.
	P280 - Wear eye protection, protective clothing, protective gloves.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water
	P331 - Do NOT induce vomiting.
	P332+P317 - If skin irritation occurs: Get medical help.
	P501 - Dispose of container to recycling.

2.3. Other hazards which do not result in classification or are not covered by the GHS

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to the United Nations GHS
Xylene	CAS-No.: 1330-20-7	28 – 49.5	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. Not classified (Inhalation:dust,mist) Skin Irrit. 2, H315 STOT RE Not classified Aquatic Chronic Not classified
ethylbenzene	CAS-No.: 100-41-4	3.5 – 11	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:vapour), H332 STOT RE 2, H373 Asp. Tox. 1, H304

SECTION 4: First aid measures	
4.1. Description of necessary first aid r	neasures
First-aid measures general First-aid measures after inhalation	 Call a physician immediately. Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	 Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms/effect, a	acute and delayed
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung oedema.

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	g media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Specific hazards arising from the chem	nical	
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Flammable liquid and vapour. No direct explosion hazard. Toxic fumes may be released. 	
5.3. Special protective actions for fire-fight	ers	
Firefighting instructions Protection during firefighting	 Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	

SECTION 6: Accidental release measures		
nent and emergency procedures		
: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.		
 Wear recommended personal protective equipment. Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. 		
 Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Evacuate unnecessary personnel. Stop leak if safe to do so. 		
and cleaning up		
: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.		
 Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. 		

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.	

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

Hygiene measures Additional hazards when processed	 Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Not expected to present a significant hazard under anticipated conditions of normal use.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures Storage conditions Packaging materials	 Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

RHCA - STEL/C 40 Remark C. Regulatory reference G South Africa - Occupational Exposure Limits (Airborned Local name El OEL TWA 42	thyl benzene 0 ppm CARC (denotes carcinogenicity, which is based on GHS categorisation, including category A, 1B), SKIN (danger of cutaneous absorption) Government Notice No. R. 280, 2021	
RHCA - STEL/C 40 Remark C. Regulatory reference G South Africa - Occupational Exposure Limits (Airborned Local name El OEL TWA 42	0 ppm CARC (denotes carcinogenicity, which is based on GHS categorisation, including category A, 1B), SKIN (danger of cutaneous absorption) Government Notice No. R. 280, 2021 e Pollutants) Ethyl benzene	
Remark C. Regulatory reference G South Africa - Occupational Exposure Limits (Airborne E Local name E OEL TWA 43	CARC (denotes carcinogenicity, which is based on GHS categorisation, including category A, 1B), SKIN (danger of cutaneous absorption) Government Notice No. R. 280, 2021 Pe Pollutants) Ethyl benzene	
1/ Regulatory reference G South Africa - Occupational Exposure Limits (Airborne Local name Ef OEL TWA 43	A, 1B), SKIN (danger of cutaneous absorption) Government Notice No. R. 280, 2021 The Pollutants) Sthyl benzene	
South Africa - Occupational Exposure Limits (Airborne Local name Ef OEL TWA 43	te Pollutants)	
Local name El OEL TWA 43	thyl benzene	
OEL TWA 43	•	
	35 mg/m³	
10		
	00 ppm	
OEL STEL 54	45 mg/m³	
12	25 ppm	
Regulatory reference G	Government Notice No. R 904	
South Africa - Biological limit values		
Local name Ef	thyl benzene	
	.15 g/g creatinine Parameter: Sum of mandelic acid and phenylglyoxylic acid - Medium: rine - Sampling time: End of shift - Notations: Ns (non-specific)	
Regulatory reference G	Sovernment Notice No. R. 280, 2021	
Xylene (1330-20-7)		
South Africa - Occupational Exposure Limits (Restrict	ted Limits)	
Local name X	(ylene, ο-, m-, p- or mixed isomers	
OEL eight hour TWA 30	00 ppm	
RHCA - STEL/C 20	00 ppm	
Remark SI	KIN (danger of cutaneous absorption)	
Regulatory reference G	Sovernment Notice No. R. 280, 2021	
South Africa - Occupational Exposure Limits (Airborn	e Pollutants)	
Local name X	íylene, o-, m-, p- or mixed isomers	
OEL TWA 2'	18 mg/m³	
50	0 ppm	
OEL STEL 43	35 mg/m³	
10	00 ppm	

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

Xylene (1330-20-7)		
Remark	Sk (Danger of cutaneous absorption)	
Regulatory reference	Government Notice No. R 904	
South Africa - Biological limit values		
Local name	Xylenes	
BEI	1.5 g/g creatinine Parameter: Methylhippuric acids - Medium: urine - Sampling time: End of shift	
Regulatory reference	Government Notice No. R. 280, 2021	
8.2. Appropriate engineering controls	i de la constante de la constant	
Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.	
8.3. Individual protection measures, s	such as personal protective equipment	

: Wear suitable protective clothing

: [In case of inadequate ventilation] wear respiratory protection.

Hand protection Eye protection Skin and body protection : Protective gloves : Safety glasses

- Respiratory protection

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Opaque.
Molecular mass	: > g/mol
Colour	: Blue. Green. Violet. Red.
Odour	: Aromatic solvent like odour.
Odour threshold	: No data available
рН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈ 27 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Flammable liquid and vapour.
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Kow) Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties Explosive limits Lower explosion limit Upper explosion limit	 No data available No data available > 1 mm²/s No data available
Lower explosion limit	

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability	v and Reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical Stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity (dermal)	Not classified Not classified Inhalation:dust,mist: Harmful if inhaled.
Dura - Tint - Blue, Green, Bright Red & Violet	
ATE ZA (dust, mist)	3.03 mg/l/4h
ethylbenzene (100-41-4)	
LD50 oral rat	≈ 3500 mg/kg bodyweight Animal: rat
Xylene (1330-20-7)	
LD50 oral rat	≈ 3523 mg/kg bodyweight
LD50 dermal rabbit	12126 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other:
LC50 Inhalation - Rat	≈ 27.124 mg/l Source: ECHA
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitisation :	Not classified

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	May cause damage to organs (hearing organs) through prolonged or repeated exposure (Inhalation).	
ethylbenzene (100-41-4)		
NOAEL (oral, rat, 90 days)	75 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Xylene (1330-20-7)		
LOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90- Day Oral Toxicity)	
Aspiration hazard :	May be fatal if swallowed and enters airways.	
Dura - Tint - Blue, Green, Bright Red & Violet		
Viscosity, kinematic	> 1 mm²/s	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short–term (acute)	: Not classified
Hazardous to the aquatic environment, long–term (chronic)	: Not classified
ethylbenzene (100-41-4)	
LC50 - Fish [1]	5.1 mg/l Test organisms (species): Menidia menidia
EC50 72h - Algae [1]	5.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	4.9 mg/l Test organisms (species): Skeletonema costatum
EC50 96h - Algae [1]	3.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	7.7 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic)	1.7 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'
NOEC (chronic)	0.96 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'
Xylene (1330-20-7)	
EC50 - Crustacea [1]	> 3.4 mg/l Test organisms (species): Ceriodaphnia dubia
LOEC (chronic)	3.16 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	> 1.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo

Dura - Tint - Blue, Green, Bright Red & Violet		
Persistence and degradability	Not rapidly degradable	

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

ethylbenzene (100-41-4)		
Persistence and degradability		
Xylene (1330-20-7)		
Persistence and degradability		
12.3. Bioaccumulative potential		
Dura - Tint - Blue, Green, Bright Red & Violet		
Bioaccumulative potential	No additional information available	
12.4. Mobility in soil		
Dura - Tint - Blue, Green, Bright Red & Violet		
Mobility in soil	No additional information available	
12.5. Other adverse effects		
	Not classified No additional information available	

SECTION 13: Disposal Considerations

13.1. Disposal methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Flammable vapours may accumulate in the container. Do not re-use empty containers.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	ΙΑΤΑ
14.1. UN number		
1307	1307	1307
14.2. UN Proper Shipping Name	·	-
XYLENES	XYLENES	Xylenes
14.3. Transport hazard class(es)		1
3	3	3
14.4. Packing group, if applicable		I
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available	1	-

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

14.6. Special precautions for user		
SANS Special provisions (SANS) Limited quantities (SANS) Limited quantities (SANS) Packagings, large packagings and IBCs Packing instructions (SANS) Portable tank and bulk containers instructions (SANS)	::	223 5 L 5 L P001, IBC03, LP01 T2
Portable tank and bulk container special provisions	:	TP1
(SANS) IMDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Flash point (IMDG) Properties and observations (IMDG)		223 5 L E1 P001, LP01 IBC03 T2 TP1 F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS A 23°C to 30°C c.c. Colourless liquids. Flashpoint: 23°C to 30°C c.c. Explosive limits: 1.1% to 7%. Immiscible with water.
IATA PCA Excepted quantities (IATA)		E1
PCA Limited quantities (IATA)		Y344
PCA limited quantity max net quantity (IATA)	:	10L
PCA packing instructions (IATA)	:	355
PCA max net quantity (IATA)	:	60L
CAO packing instructions (IATA)	:	366
CAO max net quantity (IATA)	:	220L
Special provisions (IATA)	:	A3

14.7. Transport in bulk according to IMO instructions

Not applicable

ERG code (IATA)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

: 3L

No additional information available

SECTION 16: Other information

Issue date

: 16/02/2024

Full text of H-statements:	
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin

Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 9

Full text of H-statements:	
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H340	May cause genetic defects
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), South Africa (HCA)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.