

TRANSPORT EMERGENCY CARD Road transport

In accordance with SANS 10232-4

PROPER SHIPPING NAME

XYLENES

APPEARANCE

Liquid
Clear, colorless liquid
Colourless
Aromatic solvent like odour

DANGER

HIGHLY FLAMMABLE LIQUID & VAPOUR: Easily ignited by heat, sparks or flames
Vapour could cause dizziness or suffocation
Vapour could travel to source of ignition and flash back
Could explode owing to heat, contamination or loss of temperature control
Contact could be irritating to skin and eyes
Fire could produce a combination of irritating and corrosive gases

PERSONAL PROTECTIVE EQUIPMENT

Light protective clothing
Protective gloves
Eyewash bottle with clean water
Protective shoes
Protective goggles or face shield

EMERGENCY RESPONSE EQUIPMENT

Broom
Sand or other absorbent
Dry chemical, CO₂, or water spray or regular foam
Positive pressure self-contained breathing apparatus (SCBA) and structural fire-fighters protective clothing
Use clean non-sparking tools to collect absorbed material

DRIVER FIRST ACTIONS - Only if it can be carried out without personal risk

Stop the engine
Warn road users and passers by to keep away from danger area
Keep upwind
Contact the emergency services
No smoking allowed

DRIVER SPECIAL ACTIONS - Only if it can be carried out without personal risk

Contain or absorb spilled liquid with earth or other absorbent material
Avoid sparks
Warn all persons of explosion hazard
Prevent runoff from entering water courses, sewers and basements
Notify authorities if product enters sewers or public waters

DRIVER ACTIONS IN CASE OF FIRE - Only if it can be carried out without personal risk

Use fire extinguisher on small fire only if it can be done without personal risk; Do not attempt to deal with any major fire that involves the load

FIRST AID

Give first-aid treatment according to the nature of the injury
Immediately remove contaminated clothing or footwear
In case of contact with substance, immediately flush skin or eyes (or both) with running water for at least 20 min
Do not delay care and transport of a seriously injured person
Effects of contact or inhalation might be delayed

SPECIAL INFORMATION FOR EMERGENCY SERVICES

Cool containers with flooding quantities of water until well after fire is out
Do not use straight streams
Use dry chemical, CO₂, water spray or regular foam
Dyke fire control water for later disposal

ADDITIONAL INFORMATION

Product name: Dura - Epoxy Thinners
Trade name: Dura - Epoxy Thinners
Supplier: Dura Paints (Pty) Ltd., 5 Wakefield Road; , 1610 Johannesburg
Emergency telephone number: 079 494 2731 / 011 452 5221
Prepared by Dura Paints (Pty) Ltd. from the best knowledge currently available; no guarantee is provided that the information is sufficient or correct under all circumstances.
Preparation date 04/2025

| | |
|-----------------|------|
| UN-No. | 1307 |
| Class | 3 |
| Subsidiary risk | |
| Packing group | III |
| ERG No. | 130 |