

TRANSPORT EMERGENCY CARD Road transport

In accordance with SANS 10232-4

PROPER SHIPPING NAME

XYLENES

APPEARANCE

Liquid
Clear, colorless liquid
Colourless
Aromatic

DANGER

HIGHLY FLAMMABLE: Easily ignited by heat, sparks or flames
Vapour could cause dizziness or suffocation
Vapour could travel to source of ignition and flash back
Could explode owing to heat, contamination or loss of temperature control
Contact could be irritating to skin and eyes
Fire could produce a combination of irritating and corrosive gases

PERSONAL PROTECTIVE EQUIPMENT

Light protective clothing
Protective shoes
Protective gloves
Protective goggles or face shield

EMERGENCY RESPONSE EQUIPMENT

Broom
Sand or other absorbent
Dry chemical, CO₂, or water spray or regular foam
Positive pressure self-contained breathing apparatus (SCBA) and structural fire-fighters protective clothing
Use clean non-sparking tools to collect absorbed material

DRIVER FIRST ACTIONS - Only if it can be carried out without personal risk

Stop the engine
Warn road users and passers by to keep away from danger area
Keep upwind
Contact the emergency services
No smoking allowed

DRIVER SPECIAL ACTIONS - Only if it can be carried out without personal risk

Avoid sparks
Contain or absorb spilled liquid with earth or other absorbent material
Warn all persons of explosion hazard
Prevent runoff from entering water courses, sewers and basements
Notify authorities if product enters sewers or public waters

DRIVER ACTIONS IN CASE OF FIRE - Only if it can be carried out without personal risk

Use fire extinguisher on small fire only if it can be done without personal risk; Do not attempt to deal with any major fire that involves the load

FIRST AID

Give first-aid treatment according to the nature of the injury
Immediately remove contaminated clothing or footwear
Immediately flush skin or eyes (or both) with running water for at least 20 min
Effects of contact or inhalation might be delayed
Do not delay care and transport of a seriously injured person

SPECIAL INFORMATION FOR EMERGENCY SERVICES

Cool containers with flooding quantities of water until well after fire is out
Do not use straight streams
Use dry chemical, CO₂, water spray or regular foam
Dyke fire control water for later disposal

ADDITIONAL INFORMATION

Product name: Dura - QD Thinners

Trade name: Dura - QD Thinners

Supplier: Dura Paints (Pty) Ltd., 5 Wakefield Road; , 1610 Johannesburg

Emergency telephone number: 079 494 2731 / 011 452 5221

Prepared by Dura Paints (Pty) Ltd. from the best knowledge currently available; no guarantee is provided that the information is sufficient or correct under all circumstances.

Preparation date 04/2025

UN-No.	1307
Class	3
Subsidiary risk	
Packing group	III
ERG No.	130