

### SECTION 1: Identification of the substance/mixture and of the supplier/undertaking

#### 1.1. GHS product identifier

|                 |                                           |
|-----------------|-------------------------------------------|
| Product form    | : Mixture                                 |
| Trade name      | : Dura Paints - Hydro Finish White & Deep |
| Type of product | : Water-based coating                     |
| Product code    | : HYDROFINPA                              |
| Product group   | : Trade product                           |

#### 1.2. Other means of identification

|          |                     |
|----------|---------------------|
| Synonyms | : Water based paint |
|----------|---------------------|

#### 1.3. Recommended use of the chemical and restrictions on use

|                 |                                                         |
|-----------------|---------------------------------------------------------|
| Recommended use | : Water-based coating for light industrial applications |
|-----------------|---------------------------------------------------------|

#### 1.4. Supplier's details

##### Manufacturer

Dura Paints (Pty) Ltd.  
5 Wakefield Road; Founders View South.  
P.O. Box 303  
1610 Edenvale; Johannesburg – South Africa  
T 011 452 5221  
[orders@durapaints.co.za](mailto:orders@durapaints.co.za) - [www.durapaints.co.za](http://www.durapaints.co.za)

#### 1.5. Emergency phone number

|                  |                               |
|------------------|-------------------------------|
| Emergency number | : 079 494 2731 / 011 452 5221 |
|------------------|-------------------------------|

### SECTION 2: Hazard identification

#### 2.1. GHS classification of the substance/mixture and any national or regional information

##### Classification according to the United Nations GHS

Skin corrosion/irritation Not classified

Carcinogenicity, Category 2

H351

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

: When product is in liquid form, hazards related to inhalation are not present, but it contains substances (Titanium) that could be potential hazards if caused to become airborne due to abrasive processes, Suspected of causing cancer (inhalation).

#### 2.2. GHS label elements, including precautionary statements

##### Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)



Signal word (GHS ZA)

: Warning

Hazardous ingredients

: Titanium dioxide

Hazard statements (GHS ZA)

: H351 - Suspected of causing cancer (Inhalation)

Precautionary statements (GHS ZA)

: P101 - If medical advice is needed, have product container or label and product safety data sheet at hand.

P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions.

P280 - Wear eye protection, protective clothing, protective gloves.

P501 - Dispose of container to Recycling, according to local regulations.

# Dura Paints - Hydro Finish White & Deep

## Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 10

P-statements for label (GHS-ZA) : P101 - If medical advice is needed, have product container or label and product safety data sheet at hand.; P102 - Keep out of reach of children.; P103 - Read carefully and follow all instructions.; P280 - Wear eye protection, protective clothing, protective gloves.; P501 - Dispose of container to Recycling, according to local regulations.

### 2.3. Other hazards which do not result in classification or are not covered by the GHS

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name                      | Product identifier  | %       | Classification according to the United Nations GHS                                                                                      |
|---------------------------|---------------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Titanium dioxide          | CAS-No.: 13463-67-7 | 5 – 15  | Acute Tox. Not classified (Oral)<br>Acute Tox. Not classified (Inhalation:dust,mist)<br>Carc. 2, H351<br>Aquatic Chronic Not classified |
| Ethelyne Glycol (Regular) | CAS-No.: 107-21-1   | 1 – 1.5 | Acute Tox. 4 (Oral), H302                                                                                                               |

## SECTION 4: First aid measures

### 4.1. Description of necessary first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Rinse mouth thoroughly with water. Call a poison center or a doctor if you feel unwell.  
Self protection of the first-aiders : First aid workers will be equipped with suitable personal protective equipment.

### 4.2. Most important symptoms/effect, acute and delayed

Symptoms/effects after inhalation : None under normal conditions.  
Symptoms/effects after skin contact : None under normal conditions.  
Symptoms/effects after eye contact : None under normal conditions.  
Symptoms/effects after ingestion : None under normal conditions.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Avoid contact with strong oxidising agents.

### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

# Dura Paints - Hydro Finish White & Deep

## Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 10

### 5.3. Special protective actions for fire-fighters

- |                                |                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Firefighting instructions      | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.              |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- |                                                                     |                                                                                                                                                                  |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General measures                                                    | : Surface may be slippery. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |
| Personal Precautions, Protective Equipment and Emergency Procedures | : Avoid contact with skin and eyes, avoid breathing vapours. Complete protective clothing.                                                                       |

#### 6.1.1. For non-emergency personnel

- |                      |                                                   |
|----------------------|---------------------------------------------------|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area.                        |

#### 6.1.2. For emergency responders

- |                      |                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate non-essential personnel. Stop leak if safe to do so.                                                                                             |

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and materials for containment and cleaning up

- |                         |                                                                                                                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For containment         | : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.                                                                         |
| Other information       | : Dispose of materials or solid residues at an authorized site.                                                                                                                       |

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- |                                   |                                                                                                                                                                                                                               |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling     | : Ensure good ventilation of the work station. Avoid contact with eyes. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. |
| Hygiene measures                  | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.                                                                                                                           |
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use.                                                                                                                                    |

### 7.2. Conditions for safe storage, including any incompatibilities

- |                     |                                                                                                                      |
|---------------------|----------------------------------------------------------------------------------------------------------------------|
| Technical measures  | : Keep in a cool, well-ventilated place away from heat.                                                              |
| Storage conditions  | : Store in a cool, well ventilated area away from direct sunlight, sources of heat and severe cold. Store locked up. |
| Packaging materials | : Always store product in container of same material as original container.                                          |

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# Dura Paints - Hydro Finish White & Deep

## Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 10

| Titanium dioxide (13463-67-7)                                     |                                                                                                          |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| South Africa - Occupational Exposure Limits (Restricted Limits)   |                                                                                                          |
| Local name                                                        | Titanium dioxide                                                                                         |
| RHCA - STEL/C                                                     | 10 mg/m <sup>3</sup><br>10 mg/m <sup>3</sup> total inhalable dust<br>5 mg/m <sup>3</sup> respirable dust |
| Remark                                                            | CARC (denotes carcinogenicity, which is based on GHS categorisation, including category 1A, 1B)          |
| Regulatory reference                                              | Government Notice No. R. 280, 2021<br>Government Notice. R: 1179                                         |
| South Africa - Occupational Exposure Limits (Airborne Pollutants) |                                                                                                          |
| Local name                                                        | Titanium dioxide                                                                                         |
| OEL TWA                                                           | 10 mg/m <sup>3</sup> inhalable particulate<br>5 mg/m <sup>3</sup> respirable particulate                 |
| Regulatory reference                                              | Government Notice No. R 904                                                                              |
| Ethylene Glycol (Regular) (107-21-1)                              |                                                                                                          |
| South Africa - Occupational Exposure Limits (Restricted Limits)   |                                                                                                          |
| Local name                                                        | Ethylene glycol                                                                                          |
| OEL eight hour TWA                                                | 20 mg/m <sup>3</sup> (H: aerosol only)                                                                   |
| RHCA - STEL/C                                                     | 50 mg/m <sup>3</sup> (V: vapour fraction)<br>100 mg/m <sup>3</sup> (V: vapour fraction)                  |
| Remark                                                            | SKIN (danger of cutaneous absorption)                                                                    |
| Regulatory reference                                              | Government Notice No. R. 280, 2021                                                                       |
| South Africa - Occupational Exposure Limits (Airborne Pollutants) |                                                                                                          |
| Local name                                                        | Ethylene glycol (Ethane-1,2-diol; 1,2-Dihydroxyethane)                                                   |
| OEL TWA                                                           | 20 mg/m <sup>3</sup>                                                                                     |
| OEL STEL                                                          | 40 mg/m <sup>3</sup>                                                                                     |
| Regulatory reference                                              | Government Notice No. R 904                                                                              |

### 8.2. Appropriate engineering controls

|                                  |                                                |
|----------------------------------|------------------------------------------------|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls  | : Avoid release to the environment.            |

### 8.3. Individual protection measures, such as personal protective equipment

|                                         |                                                                            |
|-----------------------------------------|----------------------------------------------------------------------------|
| Hand protection                         | : Protective gloves                                                        |
| Eye protection                          | : Safety glasses                                                           |
| Skin and body protection                | : Wear suitable protective clothing                                        |
| Respiratory protection                  | : In case of insufficient ventilation, wear suitable respiratory equipment |
| Personal protective equipment symbol(s) |                                                                            |



### 8.4. Exposure limit values for the other components

# Dura Paints - Hydro Finish White & Deep

## Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 10

| Ethane-1,2-diol (107-21-1)                                        |                                                                                         |  |
|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------|--|
| South Africa - Occupational Exposure Limits (Restricted Limits)   |                                                                                         |  |
| Local name                                                        | Ethylene glycol                                                                         |  |
| OEL eight hour TWA                                                | 20 mg/m <sup>3</sup> (H: aerosol only)                                                  |  |
| RHCA - STEL/C                                                     | 50 mg/m <sup>3</sup> (V: vapour fraction)<br>100 mg/m <sup>3</sup> (V: vapour fraction) |  |
| Remark                                                            | SKIN (danger of cutaneous absorption)                                                   |  |
| Regulatory reference                                              | Government Notice No. R. 280, 2021                                                      |  |
| South Africa - Occupational Exposure Limits (Airborne Pollutants) |                                                                                         |  |
| Local name                                                        | Ethylene glycol (Ethane-1,2-diol; 1,2-Dihydroxyethane)                                  |  |
| OEL TWA                                                           | 20 mg/m <sup>3</sup>                                                                    |  |
| OEL STEL                                                          | 40 mg/m <sup>3</sup>                                                                    |  |
| Regulatory reference                                              | Government Notice No. R 904                                                             |  |

## SECTION 9: Physical and chemical properties

### 9.1. Basic physical and chemical properties

|                                                 |                        |
|-------------------------------------------------|------------------------|
| Physical state                                  | : Liquid               |
| Appearance                                      | : Opaque.              |
| Colour                                          | : White                |
| Odour                                           | : Slight odour         |
| Odour threshold                                 | : No data available    |
| pH                                              | : 8.8 – 9.3            |
| pH solution                                     | : No data available    |
| Relative evaporation rate (butylacetate=1)      | : No data available    |
| Relative evaporation rate (ether=1)             | : No data available    |
| Melting point                                   | : Not applicable       |
| Freezing point                                  | : No data available    |
| Boiling point                                   | : No data available    |
| Flash point                                     | : No data available    |
| Auto-ignition temperature                       | : No data available    |
| Decomposition temperature                       | : No data available    |
| Flammability                                    | : Non flammable        |
| Vapour pressure                                 | : No data available    |
| Vapour pressure at 50°C                         | : No data available    |
| Relative vapour density at 20°C                 | : No data available    |
| Relative density                                | : ≈ 1.17               |
| Relative density of saturated gas/air mixture   | : No data available    |
| Density                                         | : No data available    |
| Relative gas density                            | : No data available    |
| Solubility                                      | : Miscible with water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available    |
| Partition coefficient n-octanol/water (Log Kow) | : No data available    |
| Viscosity, kinematic                            | : No data available    |
| Viscosity, dynamic                              | : 500 – 600 cP         |
| Explosive properties                            | : No data available    |
| Oxidising properties                            | : No data available    |
| Explosive limits                                | : No data available    |
| Lower explosion limit                           | : No data available    |
| Upper explosion limit                           | : No data available    |
| Physical state                                  | : Liquid               |
| Appearance                                      | : Opaque.              |

# Dura Paints - Hydro Finish White & Deep

## Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 10

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical Stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Avoid contact with acids, alkalis and hydrocarbon solvents.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Avoid contact with acids, alkalis and hydrocarbon solvents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

| Titanium dioxide (13463-67-7)     |                                                                      |
|-----------------------------------|----------------------------------------------------------------------|
| LD50 oral rat                     | > 2000 – < 25000 mg/kg bodyweight Practically nontoxic; Source: ECHA |
| LC50 Inhalation - Rat (Dust/Mist) | > 3.43 – < 6.82 mg/l/4h Source: ECHA                                 |

| Ethelyne Glycol (Regular) (107-21-1) |                                               |
|--------------------------------------|-----------------------------------------------|
| LD50 oral rat                        | 6000 – 13000 mg/kg Source: Supplier SDS       |
| LD50 dermal rat                      | > 22270 mg/kg bodyweight Source: Supplier SDS |
| LD50 dermal rabbit                   | > 2270 mg/kg Source: Supplier SDS             |
| LC50 Inhalation - Rat                | > 3.95 mg/l Source: Supplier SDS              |
| LC50 Inhalation - Rat (Vapours)      | > 3.95 mg/l/4h Source: Supplier SDS           |

Skin corrosion/irritation : Not classified.  
pH: 8.8 – 9.3  
Serious eye damage/irritation : Not classified  
pH: 8.8 – 9.3  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Suspected of causing cancer (Inhalation).

| Titanium dioxide (13463-67-7) |                                      |
|-------------------------------|--------------------------------------|
| IARC group                    | 2B - Possibly carcinogenic to humans |
| Reproductive toxicity         | : Not classified                     |
| Reproductive toxicity         | : Not classified                     |

# Dura Paints - Hydro Finish White & Deep

## Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 10

|                        |                  |
|------------------------|------------------|
| STOT-single exposure   | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard      | : Not classified |

## SECTION 12: Ecological information

### 12.1. Toxicity

|                                                           |                                                                                                                         |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Ecology - general                                         | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                                                                                                        |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified                                                                                                        |

| Titanium dioxide (13463-67-7)      |                                               |
|------------------------------------|-----------------------------------------------|
| EC50 - Crustacea [1]               | > 2.41 – < 103.9 mg/l Source: ECHA            |
| EC50 - Other aquatic organisms [1] | > 100 mg/l Test organisms (species):          |
| EC50 72h - Algae [1]               | ≥ 100 mg/l Source: ECHA                       |
| LOEC (acute)                       | ≈ 160 mg/l Fish, 4 Days; Source: ECHA         |
| LOEC (chronic)                     | ≈ 5 mg/l Crustacea, 21 Days; Source: ECHA     |
| NOEC (acute)                       | 0.004 – 0.08 mg/l 28 Dday, fish; Source: Echa |
| NOEC (chronic)                     | ≥ 100 mg/l 28 days; Source: ECHA              |
| NOEC chronic fish                  | > 80 – < 160 mg/l 6 days; Source: ECHA        |

| Ethelyne Glycol (Regular) (107-21-1) |                                            |
|--------------------------------------|--------------------------------------------|
| LC50 - Fish [1]                      | ≈ 51000 mg/l Source: Supplier SDS          |
| LC50 - Fish [2]                      | ≈ 27540 (≤ 0) mg/l Source: Supplier SDS    |
| EC50 - Crustacea [1]                 | 46300 – 51100 mg/l Source: Supplier SDS    |
| EC50 72h - Algae [1]                 | 9500 – 13000 mg/l Source: Supplier SDS     |
| NOEC chronic fish                    | ≈ 15.38 g/l Source: ECHA                   |
| NOEC chronic crustacea               | 7.5 – 15 g/l Period: 21 days; Source: ECHA |
| NOEC chronic algae                   | ≈ 100 mg/l Period: 72 hours; Source: ECHA  |

### 12.2. Persistence and degradability

| Dura Paints - Hydro Finish White & Deep |                    |
|-----------------------------------------|--------------------|
| Persistence and degradability           | Rapidly degradable |

| Titanium dioxide (13463-67-7) |  |
|-------------------------------|--|
| Persistence and degradability |  |

| Ethelyne Glycol (Regular) (107-21-1) |  |
|--------------------------------------|--|
| Persistence and degradability        |  |

### 12.3. Bioaccumulative potential

| Dura Paints - Hydro Finish White & Deep |                                     |
|-----------------------------------------|-------------------------------------|
| Bioaccumulative potential               | No additional information available |

| Ethelyne Glycol (Regular) (107-21-1) |       |
|--------------------------------------|-------|
| Bioconcentration factor (BCF REACH)  | < 100 |

# Dura Paints - Hydro Finish White & Deep

## Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 10

### Ethelyne Glycol (Regular) (107-21-1)

|                                                 |                              |
|-------------------------------------------------|------------------------------|
| Partition coefficient n-octanol/water (Log Kow) | ≈ -1.36 Source: Supplier SDS |
|-------------------------------------------------|------------------------------|

### 12.4. Mobility in soil

#### Dura Paints - Hydro Finish White & Deep

|                  |                                     |
|------------------|-------------------------------------|
| Mobility in soil | No additional information available |
|------------------|-------------------------------------|

### 12.5. Other adverse effects

|                       |                                       |
|-----------------------|---------------------------------------|
| Ozone                 | : Not classified                      |
| Other adverse effects | : No additional information available |

## SECTION 13: Disposal Considerations

### 13.1. Disposal methods

|                                            |                                                                                                                                                                                                                                         |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Regional waste regulation                  | : Disposal must be done according to official regulations.                                                                                                                                                                              |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions.                                                                                                                                           |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.                                                                                                                                                                              |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations.                                                                                                                                                                              |
| Ecological waste information               | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself. |
| Additional information                     | : Do not re-use empty containers.                                                                                                                                                                                                       |

## SECTION 14: Transport information

In accordance with SANS / UN RTDG / IMDG / IATA

| SANS                                      | UN RTDG                               | IMDG                                                           | IATA                                  |
|-------------------------------------------|---------------------------------------|----------------------------------------------------------------|---------------------------------------|
| <b>14.1. UN number</b>                    |                                       |                                                                |                                       |
| Not regulated for transport               |                                       |                                                                |                                       |
| <b>14.2. UN Proper Shipping Name</b>      |                                       |                                                                |                                       |
| Not applicable                            | Not applicable                        | Not applicable                                                 | Not applicable                        |
| <b>Transport document description</b>     |                                       |                                                                |                                       |
| Not applicable                            | Not applicable                        | Not applicable                                                 | Not applicable                        |
| <b>14.3. Transport hazard class(es)</b>   |                                       |                                                                |                                       |
| Not applicable                            | Not applicable                        | Not applicable                                                 | Not applicable                        |
| Not applicable                            | Not applicable                        | Not applicable                                                 | Not applicable                        |
| <b>14.4. Packing group, if applicable</b> |                                       |                                                                |                                       |
| Not applicable                            | Not applicable                        | Not applicable                                                 | Not applicable                        |
| <b>14.5. Environmental hazards</b>        |                                       |                                                                |                                       |
| Dangerous for the environment :<br>No     | Dangerous for the environment :<br>No | Dangerous for the environment :<br>No<br>Marine pollutant : No | Dangerous for the environment :<br>No |
| No supplementary information available    |                                       |                                                                |                                       |

### 14.6. Special precautions for user

#### SANS

No data available

# Dura Paints - Hydro Finish White & Deep

## Safety Data Sheet

According to Regulations for Hazardous Chemical Agents, 2021 and United Nations GHS revision 10

### UN RTDG

No data available

### IMDG

No data available

### IATA

No data available

### 14.7. Transport in bulk according to IMO instructions

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

#### 15.1.1. OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

##### Prohibited Hazardous Chemical Agents

Not regulated

#### 15.1.2. National Environmental Management Act, 1998

##### Regulation No. 51358 (Prior Informed Consent Procedure Regulations, 2024)

Not regulated

### 15.2. Safety, health, and environmental national regulations specific for the product

State or local regulations : This product complies with South African legal lead limit of 90ppm or less.

## SECTION 16: Other information

Issue date : 19/10/2022

Revision date : 22/07/2026

Supersedes : 22/07/2026

### Full text of H-statements:

|      |                             |
|------|-----------------------------|
| H302 | Harmful if swallowed        |
| H351 | Suspected of causing cancer |

Safety Data Sheet (SDS), South Africa (HCA)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.